

8000 GeV pp

$t\bar{t}$

A_C vs $M_{t\bar{t}}$ ($\overline{t\bar{t}}$ events, parton level information)

A_C

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1

0.12

0.1

0.08

0.06

0.04

0.02

0

-0.02

-0.04

Ratio to CMS

2

1